

















**CARGAS / LOADS / CHARGES / НАГРУЗКИ / YÜKLER / الأحمال** **J80PA**

 SR / DR (kg)		Cargas máximas / Maximum loads / Charges maximales / Максимальные нагрузки / Maksimum yük / أقصى حمولة <b>SR / DR-2500 / 5000 kg</b>				
 [m]	2500/5000 kg @ ... (m)	Alcance del gancho [m] / Hook reach [m] / Portée du crochet (m) / Радиус действия крюка (m) / Kancanın yüksekliği (m) / مدى الخطاف				
		<b>20</b>	<b>25,5</b>	<b>30,5</b>	<b>35</b>	<b>40</b>
<b>40 m</b>	29/18,3	2500/4400	2500/3150	2350	1750	1300
<b>35 m</b>	29,3/18,3	2500/4430	2500/3220	2400	1800	—
<b>30,5 m</b>	30,5/18,9	2500/4640	2500/3400	2500/2500	—	—
<b>25,5 m</b>	25,5/19,6	2500/4860	2500/3500	—	—	—

**CARACTERISTICAS DE MECANISMOS / MECHANISMS FEATURES / CARACTÉRISTIQUES DES MÉCANISMES / ХАРАКТЕРИСТИКИ МЕХАНИЗМОВ / MEKANİZMALARIN ÖZELLİKLERİ / الخصائص الآلية** **J80PA**

*opcional *optional *en option *опция *opsiyonel *اختياري						
	<b>EC2566VF SR2 18,4 kW</b>	<b>*EC33100VF SR2 24,2 kW</b>	<input checked="" type="checkbox"/> <b>2,8 / 3,8 / 4,5 m TG825VF 2x3 kW</b>	<b>OG608VF 4 kW</b>	<b>EP2515VF 18,4 kW</b>	<b>TH1010 9,2 kW</b>
 m/min	1,25   2,5 0...66   0...33	1,25   2,5 0...100   0...50	0...25 m/min	0...0,8 r/min sl/min	1,5 min	1 m/min
 m/min	2,5   5 0...33   0...16,5	2,5   5 0...50   0...25				
 H ≤ SR 246 m DR 123 m			 400V 50Hz  <b>P<sub>TOTAL</sub>(EC2566VF + OG608VF + EP2515VF) = 40,8 kW</b> <b>P<sub>TOTAL</sub>(*EC33100VF + OG608VF + EP2515VF) = *46,6 kW</b>			
						

**LASTRES INFERIORES / LOWER BALLASTS** **J80PA**  
**LESTS INFÉRIEURS / НИЖНИЙ БАЛЛАСТ / ALT AĞIRLIK TAŞLARI / ثقّل**

	H (m)	9,3	17,2	25,1	29,1
<b>BEX 45 / BTX 45</b>		8	10	12	16
<b>BEX 38R / BTX 38R</b>	4100 kg	10	12	14	—














H: Altura de torre / Tower height / Hauteur du tour / Высота под крюком / Kanca altı yüksekliği / الارتفاع أسفل الخطاف  
 Para alturas intermedias tomar el lastre correspondiente a la altura superior / For intermediate heights take the ballast corresponding to the higher height / Pour les hauteurs intermédiaires, opter pour le lest correspondant à la hauteur immédiatement supérieure / Для промежуточных высот возьмите балласт, соответствующий большей высоте / Orta yükseklikler için daha üst bir yüksekliğe karşılık gelen ağırlığı alınız. / استخدام الثقّل العائد للارتفاع الأعلى / لارتفاعات البيئية يرجى استخدام الثقّل العائد للارتفاع الأعلى



Fecha / Date: 12/04/2016

Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without previous warning. This information is supplied without liability / L'entreprise se réserve le droit de procéder à des modifications sans préavis. Nous déclinons toute responsabilité quant aux informations fournies / Мы оставляем за собой право на внесение изменений без предварительного уведомления. Мы снимаем с себя любую ответственность в отношении предоставленной информации / Önceden bildirilmezsiniz değiştirilme hakkı saklıdır. Verilen bilgiler için hiçbir sorumluluk kabul etmemekteyiz / حقوق التغيير محفوظة دون إشعار مسبق. دون أدنى مسؤولية عن المعلومات المقدمة

 **FEM 1005 - C25**

DENOMINACIÓN / DENOMINATION / DÉSIGNATION / НАЗВАНИЕ / AÇIKLAMA / اسم		L [m]	A [m]	H [m]	P / W [kg]	
Torre / Tower / Tour Башня / Kule / برج	TR 8RM		8,07	1,19	1,19	2575
	TR 12RM		12,01	1,19	1,19	3715
	TR 4R		4,15	1,19	1,19	1430
Torre asiento pista + base punta de torre + orientación Slewing table + tower head base + slewing mechanism Tour pivot + base du porte-flèche + mécanisme d'orientation Сиденье площадки + основание верхней секции башни + поворотный механизм Göbek + kule kafa bölümü tabanı + mekanizma برج وحدة الدوارن + قاعدة رأس البرج + آلية الدوران			3,413	1,609	1,950	2390
Punta de torre / Tower head / Porte-flèche верхняя секция башни / kulenin kafa bölümü / رأس البرج			8,358	0,968	1,557	1777
Tramo de pluma Jib section Tronçon de flèche Секция стрелы Вот bölümü أجزاء الذراع	PA09-1N (I)		9,305	0,860	0,995	866
	PA09-2N (II)		10,115	0,860	0,995	687
	PA09-3N (III)		10,115	0,860	0,995	530
	PA09-4N (IV)		5,220	0,860	0,995	276
	PA09-5R (V)		7,470	0,865	1,180	560
Plataforma de punta de pluma Jib end platform Plateforme de pointe de flèche Платформа конца стрелы Вот ucu platformu منصة رأس الريشة			1,036	0,7	1,18	26
Punta de pluma / Jib end / Pointe de flèche / Конец стрелы / Вот ucu / مقدمة الذراع			0,81	0,266	0,679	88
Polipasto / Hook assembly / Palan / Полупаст / Kanca takımı / بكرة			0,8	0,267	1,105	217
Tirante sostén pluma / Jib support tie / Tirant de fleche / Растяжка поддержки стрелы / Kol destek bağları / مشد دعامة الذراع			5,1	0,36	0,3	285
Contrapluma con plataformas / Counterjib with platforms Contre-flèche avec plateformes / Противовесная консоль с платформами / Platformlu kuçruk / الذراع المقابل مع المنصة			5,595	2,565	0,245	800
Mecanismos Mechanisms Mécanismes de Механизмы Mekanizmalar آليات كهربائية	Elevación carga / Hoisting / levage de charge / Подъем груза / Yük kaldırma رافع الحمولة		1,93	1,318	0,845	1185
	Elevación pluma / Luffing / Releavage de flèche / Подъем стрелы / Yük kaldırma ve indirme / رافع الذراع		1,9	1,247	0,758	901
Plataforma y cabina / Platform and cabin / Plateforme et cabine Платформа и кабина / Platform ve kabin / منصة وكابينة			3,759	1,65	2,338	820
Lastre / Ballast / Lest / Балласт / Alt ağırlık taşları / ثقل			4,00	0,34	1,30	4100
Torre de montaje / Jacking cage / Tour de montage / Монтажная башня / Kadırma kafesi / برج التركيب			7,14	1,76	1,71	3200
Torre de montaje sin puerta, carro, plataforma carro y viga de apoyo Jacking cage without door, trolley, trolley platform and beam assembly Tour de montage sans porte, chariot, plateforme de chariot et poutre de soutien Монтажная башня без двери, грузовой тележки, платформы грузовой тележки и опорной балки Kapisız kaldırma kafesi, vinç köprüsü arabası, vinç köprüsü arabası platformu ve giriş takımı برج التركيب بدون بوابة ، وعربة ومنصة متحركة وعارضة تدعيم		TMU 1.18 	7,14	1,76	1,71	2450

